



# Office of the Village Panchayat

NAGOA, SALCETE - GOA

Construction Licence No. 390/VP/NAG-SAL/2024-2025/174

Ref. No.

- 1) Order No. ADP-II/P.A. No. 273/2023/211 dated 18/03/2024.
- 2) Letter No. ADP-II/P.A. No. 273/2023/360 dated 15/05/2024.

## CONSTRUCTION LICENCE

Licence is hereby granted to you in pursuance of Resolution No. **III (1)** dated duly approved by the Village Panchayat Nagoa in its meeting held on date **15/04/2024** for carrying out the —

\* (a) Construction / Work of **proposed construction of existing Building A (Revised) and proposed new Residential Building 'B' in Sy. No. 13/3 of Nagoa village.**

subject to the following conditions:-

1. The applicant shall notify the Panchayat for giving the alignment of the building.
2. The construction should maintain the minimum prescribed horizontal and vertical clearances from any overhead electrical line passing adjacent to the construction.
3. All RCC/Structural works shall be designed and supervised by the Engineer who has signed the Structural Liability Certificate submitted to the Panchayat.
4. No material for construction or earth from excavation or any other construction material shall be stacked on the Public roads.
5. The Building should not be occupied unless the occupancy certificate is obtained from the Panchayat.
6. The construction license shall be revoked if the construction work is not executed as per the approved plans and the statements therein and whenever there is any false statement or misrepresentation of any material passed, approved or shown in the application on which the permit was based.
7. The applicant should construct a separate soak pit in order to derivate in the sullage water if required.
8. Any soak pit should be constructed at a minimum distance of 15. meters away from any well.
9. The ventilation pipe of the septic tank should be provided with a mosquito net.
10. The Applicant should connect the pipelines from their latrines/WC's to the sewerage line at their own cost, when the sewerage line is commissioned.
11. The applicant should fix a board at a prominent place whenever the construction is started, indicating the number, the date and the authority for which the licence for development work has been granted.
12. All the building material and other rubbish should be cleared from the construction site before applying for the Occupancy certificate.
13. Water storage tanks shall be provided with mosquito proof lids and over flow pipes. The tanks should be provided with access ladders wherever necessary.
14. The drains surrounding the plot if any should be constructed with PCC and should be covered with removable RCC slabs of sufficient thickness.
15. The applicant should gift the road widening area to the Village Panchayat before applying for the Occupancy certificate, if the applicant has utilized the extra FAR in lieu of the road widening affecting the plot.
16. The applicant should plaster and paint the building internally as well as externally before applying for Occupancy certificate. Exposed rick / laterite / concrete / stone / ashlar masonry finish to buildings will also be permitted.
17. The applicant should provide a dustbin at a convenient place accessible for the Panchayat vehicle for collection of garbage.
18. Road widening area shall be asphalted to the existing road level before applying for occupancy certificate.
19. Garages and Parking areas shown in the approved plan shall be strictly used for parking purposes only and should be easily accessible to vehicles. No commercial activities shall be allowed in these areas.
20. Access up to the entrance of the building is to be paved and is provided with drainage facilities.
21. Space for parking of vehicles is clearly demarcated on the ground.
22. No commercial activities will be permitted in the shops unless a separate permission is obtained from this Panchayat.
23. All Temporary sheds/Existing buildings shown to be demolished in the plan are demolished before applying for Occupancy certificate.
24. Fire Escape staircases, if applicable shall be constructed as indicated in the approved plans.
25. All internal courtyards should be provided with drainage outlet.
26. The applicant should maintain all existing natural drains in the plot and should not block them at any stage.


*Swati*  
**SECRETARY**  
Village Panchayat, NAGOA  
SALCETE - GOA



27. No soak pit or other structures should come in the road widening area.
28. The plot boundary should be cordoned off by continuous sheet fencing either of wood or metal during the construction period.
20. The construction of compound wall should not obstruct any pathway or any public access. The applicant shall make necessary arrangements for smooth flow of rain water by keeping adequate openings in the compound wall for the purpose.
30. Storage of water should be done in such a way that mosquito breeding doesn't take place either by introducing fish in the tanks/wells or properly covering the iron drums / plastic tanks etc. or by observing dry day once a week.
31. Overhead tanks/sumps are provided with mosquito proof lids and other pipe fittings without any hole for the entry of mosquitoes. Outlet is to be covered by muslin / wire mesh. Ladder for inspection of the tank to be installed if required.
32. Curing water collections should be treated with anti-Larval chemicals by the builders/contractors.
33. Not to engage Labourers for any construction/ building work unless they are screened for malaria and possess health cards. These cards are to be renewed regularly every 3 months. Also arrangement should be done to get their blood tested immediately in case of fever and ensure that full treatment is taken in consultation with NVBDCP programme.
34. The applicant should construct composite pit for wet waste treatment and dry waste should be handed over to Panchayat.
35. Labourers to be provided with basic amenities like proper shelter, water for drinking and domestic purposes, proper sanitary conditions including toilet facilities.
36. To fill the pits, ditches water pools etc to avoid stagnation and to ensure no mosquito breeding sites in and around especially in unused items like tyres, bottles, tins etc.
37. Drains / Nallahs to be maintained clean around the site so that there is no blockade to flow of water. The gradient should be proper for drainage/flow and also proper cleaning of water should be done.
38. The Health units at the respective levels should be involved in the planning process.
39. No gates shall open outwards on to the road.
40. a. Applicant shall dispose the construction debris at his/her own level and/or the same shall be taken to the designated site as per the disposal plan given by the Applicant in the Affidavit at his own expenses.
- b. Applicant shall produce the certificate issued by the concerned PWD officials of designated sites as mentioned in the said Notification dated 07/03/2018.
- c. Failing to comply clause (a) and (b) the penalty shall be imposed to the Applicant at the rate of 0.5% on the total cost of the project and also the construction licence issued to the Applicant shall be withdrawn/cancelled.
41. The construction of the compound wall, if any should be as per the approved plan. The applicant shall inform this Panchayat after the completion of the compound wall.
42. Drinking water well should be 15 meters away from any soak pit.
43. All the conditions stipulated in the Technical Clearance Order bearing No. TPM/17253/const/Nagoa/13/3/2023/3777 dated 07/07/2023 from Town and Country Planning Department, Margao, Goa, should be strictly followed.
44. All the conditions stipulated in the NOC bearing No. Primary Health Centre, Cortalim from PHC/CORT/NOC/CONST/23-24/433 dated 12/07/2023 should be strictly followed.
45. The Waste generated during the Course Construction/repair renovation etc. shall be disposed off by the applicant/s in a scientific manner without harming the environment in its own property.
46. Applicant may obtain NOC from Railway Authority if any and Panchayat will not be responsible for any objection from Railway authorities.
47. Applicant should provide proper Health Cards to the labourers working on his construction site failing which Health Authorities will intervene in the matter.
46. The information furnished by the applicant for obtaining the permission for construction / work of **proposed construction of existing Building A (Revised) and proposed new Residential Building 'B' in Sy. No. 13/3 of Nagoa village**, if found to be false at later stage, or if the conditions stated herein above are not complied with, the Permission issued shall be liable to be withdrawn without pre-judice to the legal action that may be taken against the applicant.

**THIS LICENCE IS VALID FOR A PERIOD OF THREE YEARS FROM THE DATE OF ISSUE OF THIS LICENCE. RENEWAL IF REQUIRED SHALL BE APPLIED WITHIN THE PERIOD OF THE VALIDITY OF THE LICENCE. HE/SHE HAS PAID THE LICENCE FEES TO THE TUNE OF Rs. 3,18,570/- (Rupees Three Lakhs, Eighteen Thousand, Five Hundred and Seventy only) VIDE RECEIPT NO. 295/83 DATED 22/05/2024.**

To,  
M/s. Pryto Private Ltd.,  
Director, Mr. Gaurish Kamat  
Flat No. C-6, Kadamba Apartment, Dr. A.B. road, Panaji, Goa.



(Kapil Naik)  
**SECRETARY**  
**Village Panchayat, NAGOIA**  
**SALCETE - GOA**