



## Directorate of Health Services Primary Health Centre Porvorim Government of Goa



2411991/9011025040 No. PHCP/NOC/2019-20/2648

Date: phcporvorim-heal.goa@nic.in ate: - 2\_03.2020

Mercy Construction Co.,

17-A, Ground floor, Boran road, Bandra (West) Mumbai. Sub: Issue of NOC for Proposed construction o No.TPB/1332/PDF/TCP-20/399 dated:24.01.2020 construction of residential building & Comp. wall. OSTP

Sir, situated at Village Penha De Franca, Bardez Goa, subject to the following conditions:on 27/02/2020, you are hereby informed that there is NO OBJECTION FROM SANITARY POINT OF was carried out by the undersigned along with the Sanitary Inspector of this Primary Health Centre Porvorim, VIEW for your proposed construction of residential building & Comp. wall, in Sy. No.141/6, plot No. nil, With reference to your letter No. nil dated 12/02/2020, on the above mentioned subject, site inspection

- The construction is to be carried out as per the plan submitted
- Proper cleanliness is maintained in and around the construction site
- should correspond with the dimensions given. The capacity of septic tank should correspond soak pit and septic tank should be at least 15 meters away from any drinking water source and
- 4 office for 100 persons. septic tank should correspond with dimensions shown in the chart submitted to this

- 7.05 There should be a separate soak pits for sewage and sullage.

  No health hazard or any other environmental pollution is created in the surrounding area.

  The owner/contractor shall co-operate with the health and pollution control authorities whenever they visit the site for sanitary inspection.

- 10 This office is not responsible for any court litigation regarding the ownership and area of the house. If any complaint comes from the sanitary point, the N.O.C. will be revoked.

  As per section 75A of Goa Public Health Act all labourers should possess health cards and should renew them once in three months. Whoever contravenes the provision of the Public Health Act shall be punishable with fine as specified in the Act and amendments published in the official Gazette Government of Goa, le as specified in the Act and an Series 1 No.26 (Extraordinary No.3)
- 11. demand. Health cards should be available at the site and should be produced to the Health Authorities on
- Final N.O.C. from Health Authorities to be obtained prior to issuance of occupancy certificate. The N.O.C. is liable to be withdrawn if the conditions stipulated above are not complied with. This office is to be informed at the commencement of the construction.
- 13. Lancor Lancor

Dr. Shikandar Talwar) Medical Officer I/C

Primary Health Centre

Copy to:-1.The Secretary/Sarpanch, Village Panchayat, Penha De Franca, Bardezquarim, Bardez - Goa

Office file, 3. Guard File