# OFFICE OF VILLAGE PANCHAYAT NAVELIM

### NAVELIM SALCETE, GOA, www.vpnavelim.com

#### CONSTRUCTION LICENCE

#### No. VP/N/Const.L.48/2019-20

Date: 21/02/2020

Licence is hereby granted to you in pursuance of Resolution No. 3(2) duly approved by the Village Panchayat Navelim in its meeting held on date 13/02/2020 for carrying out the:

(a) Proposed construction of residential /commercial building Block A,B villas and compound wall.

- (b) Land Sub-division(Provisional/Final) as per the enclosed approval plan/plans in the property Zoned as <u>Settlement</u> in the Regional Plan and situated at **Dongorim**, <u>Navelim</u> Village bearing Survey No.<u>26</u>, <u>Sub-Division 1</u>, of Navelim Village of Salcete Taluka, subject to the following conditions:-
- 1. The applicant shall notify the Panchayat for giving the alignment of the building.
- 2. The construction should maintain the minimum prescribed horizontal and vertical clearances from any overhead electrical line passing adjacent to the construction.
- All RCC/Structural works shall be designed and supervised by the Engineer who has signed the Structural Liability Certificate submitted to the Panchayat.
- No material for construction or earth from excavation or any other construction material shall be stacked on the Public roads.
- 5. The building should not be occupied unless the occupancy certificate is obtained from the Panchayat.
- 6. Infrastructure such as roads and drainages are provided to the said construction site.
- 7. The garbage handling station consisting of segregation facility and compositing unit/machine and Incinerator needs to be installed.
- 8. The sewerage treatment plant needs to be installed if sewerage connections are not released by the time of occupancy.
- 9. The construction license shall be revoked if the construction work is not executed as per the approved plans and the statements therein and whenever there is any false statement or misrepresentation of any material passed, approved or shown in the application on which the permit was based.
- 10. The applicant should construct a separate soak pit in order to derivate in the sullage water.
- 11. Any soak pit should be constructed at a minimum distance of 15 meters away from the well.
- 12. The ventilation pipe of the septic tank should be provided with a mosquito net.
- 13. The Applicant should connect the pipelines from their latrines/WC's to the sewerage line at their own cost, when the sewerage line is commissioned.
- 14. The applicant should fix a board at a prominent place whenever the construction is started, indicating the number, the date and the authority for which the license for development work has been granted.
- 15. All the building material and other rubbish should be cleared from the construction site before applying for the Occupancy certificate.
- 16. Water storage tanks shall be provided with mosquito proof lids and over flow pipes. The tanks should be provided with access ladders whenever necessary.
- 17. The drains surrounding the plot if any should be constructed with PCC and should be covered with removable RCC slabs of sufficient thickness.
- 18. The applicant should gift the road widening area to the Village Panchayat before applying for the Occupancy Certificate, if the applicant has utilized the extra FAR in lieu of the road widening affecting the plot.
- The applicant should plaster and Paint the building internally as well as externally before applying for Occupancy certificate. Exposed brick/laterite/concrete/stone/ashlars masonry finish to buildings will also be permitted.
- 20. The applicant should provide a dustbin at a convenient place accessible for the Panchayat Vehicle for collection of garbage.
- 21. The applicant should provide a compositing unit at a convenient place for disposal of wet garbage.
- 22. Road widening area shall be asphalted to the existing road level before applying for occupancy certificate.
- 23. Garages and Parking areas shown in the approved plan shall be strictly used for parking purposes only and should be easily accessible to vehicles. No commercial activities shall be allowed in these areas.
- 24. Access up to the entrance of the building is to be paved and is provided with drainage facilities.
- 25. Space for parking of vehicles is clearly demarcated on the ground.
- No Restaurants/Bars will be permitted in the shops unless a separate soak pit is provided besides confirming to the rules in force.
- 27. No commercial activities will be permitted in the shops unless a separate permission is obtained from the Panchayat.
- 28. All Temporary sheds/Existing buildings shown to be demolished in the plan are demolished before applying for Occupancy certificate.
- 29. Fire Escape staircases, if applicable shall be constructed as indicated in the approved plans.
- 30. All internal courtyards should be provided with drainage outlet.
- 31. The applicant should maintain all existing natural drains in the plot and should not block them at any stage.
- 32. No soak pit or other structures should come in the road widening area.
- The plot boundary should be cordoned off by continuous sheet fencing either of wood or metal during the construction period.
- 34. The construction of compound wall should not be obstruct any pathway or any public access. The applicant shall make necessary arrangements for smooth flow of rain water by keeping adequate openings in the compound wall for the purpose.

## OFFICE OF VILLAGE PANCHAYAT NAVELIM

#### AVELIM SALCETE, GOA www.vaasvelim.com

#### CONSTRUCTION LICENCE

Date: 21/02/2020

Encence is hereby granted to you in pursuance of Resolution No. 3(2) driv approved by the Village Parchagat Nevelini in its meeting held on date 13/02/2020 for carrying out the

(a) Proprised construction of recipital commercial outleting Glock 5, P virtue and compound wath. (b) Land Sub-survision (Travisional Final).

- as per the enclosed approval planetans in the property Zoned as Settlement, for the Regional Plan and situated at Designmun Navelett Voltage bearing. Survey No 26, 5ab-Devision 1. of Navelini Village of Salecte Lataka, subject to the following conditions:
  - The applicant shall notify the Pareta yat for giving the alignment of the building.
- The construction should maintain the minimum prescribed horizontal and vertical clearances from any evolvent electrical life passing adjacent to the construction.
- 4. All RCC/Structural works shall be designed and supervised by the traphace who has signed the Structural Uzbility Cordifeste infomitted to the Panchayat.
- 4 No material for construction or card) from exceivation or any other construction material shall be stacked on the Public roads.
  - 32.2 Including should not be occupied unless the occupiency conducter is obtained from the Pancha
- The garbage handling station consisting of segregation facility and compositing uniformations and facilities used to be leavailed.
- 3. The sewerage treatment plant needs to be installed if sewerage connections are not released by the time of occupancy.
- 9. The construction license shall be revoked if the construction work is not executed as per fine approved plans and the statements therebe and wherever there is any false statement or misrepresentation of any material presed, astronyed or shown in the application on which the permit was based.
  - 10. The applicant should construct a separate seak per in order to derivate in the surfage water.
    - 11 Any sock pit should be constructed at a minimum distance of 15 meters away from the well
      - The semilation pipe of the second databased by provided with a most allow
- 1.5. The Applicant should connect the pipermes from their fatimes WC wto the sewerage line at their own cost, when the severage line is commissioned.
- 14 I to applicant should fix a board at a prominent place whenever the construction is started, indicating the number, the drue and the authority for which the becase for development work has been analied.
- 15. All the building material and other rabbesh should be cleared from the construction are bolore applying for the Occupancy certificate.
- 16 We storage tasks shall be provided with most into proof lide and over flow pipes. The tasks should be provided with access ladders whenever necessary.
- 17. The datases surrounding the plot of any should be constructed with FCC and should be covered with removable RCC slabs of sufficient trackness.
- 18. Fire applicant should gift the road widening area to the Village Parchavar before applying for the Occupancy Certificate, if the applicant has unified the extra FAR in field of the road widening attacting the role.
- 19. The applicant about plaster and P 3417 boulding internally as well as externally before applying for Occupancy certificate. Exposed on Karr 80 concrete store ashins macony finish to haliding? will also be pomuted.
- 10. The applicant should provide a double. Some new place accessible for the Panchayar Vehicle for collection of garbage.
  - . Let The applicant should provide a compression of a a convenient place for disposal of web garbage, we
- 22. And widowing area shall be ascheling the second level below arehoung for occupancy certificate 23. On ages and Parking meas shown a shown a shown and the surfective used for particip purposes only and should be contribute to school a school and a structure of the structure of the second school and schoo
  - 24. Access up to interace of the building is to be net of and to movided with distance facilities
    - 35 "Space for parking of validies is clearly dentarcated on the around."
- 26 No Restaurants/Bars will be potential in the shops unless a separate sonk pit is provided besides conforming to the rules in force.
- 27 No commercial activities will be permitted in the shops unless a separate permission is obtained from the Parehavat.
- 28. All femporary sheds/Exusting buildings shown to be demolished in the plan are demolished before apoly on for O common certificate.
  - 29, File Exclose staticases if opplicable statice constructed as indicated in the approved plans.
    - Dian second and belowing of blood sheater house in A. O.
- The upplicate should meeting all existing nature drups in the plot and should not block them at any stage.
   No suck pit or other structures should come in the road wideway area
- The plot orandary should be consolied off by southening sheet to near a other of wood or mend during the construction period
- 10. Locarmetton of compound wall should not be obtained any publicany or any public nonses. The applicant shall make more sub-sub-strangements for smooth firm of rand water by keeping adequate uperforms in the compound wall for the name.

- 35. Storage of water should be done in such a way that mosquito breeding dosen't take place either by introducing fish in the tanks/wells or properly covering the iron drums/plastic tanks etc. or by observing dry day once a week.
- 36. Overhead tanks/sumps are provided with mosquito proof lids and other pipe fittings without any hole for the entry of mosquitoes. Outlet is to be covered by muslin/wire mesh.Ladder for inspection of the tank to be installed if requires.
- 37. Curing water collections should be treated with anti-Larval chemicles by the builders/contractors.
- 38. Not to engage Labourers for any construction/building work unless they are screened for malaria and possess health cards. These cards are to be renewed regularly every 3 month. Also arrangement should be done to get their blood tested immediately in case of fever and ensure that full treatment is taken in consultation with NVBDCP programme.
- 39. Labourers are to be provided with basic amenities like proper shelter, water for drinking and domestic purposes, proper sanitary conditions including toilet facilities.
- 40. To fill the pits, ditches water pools etc to avoid stagnation and to ensure no mosquito breeding sites in and around especially in unused item like tyres, bottles, tins etc.
- 41. Drains/Nullahs to be mentained clean around the site so that there is no blockage to flow of water. The gradient should be proper for drainage/flow and also proper cleaning of water should be done.
- 42. The Health units at the respective levels should be involved in the planning process.
- 43. No gate shall open outwards on to the road.
- 44. The construction of the compound wall should be as per the approved plan. The applicant shall inform this Panchayat after the completion of the compound wall.
- All the conditions stipulated in the Technical clearance order bearing no.TPM/31032/Navelim/26/1 19/6986 dated 04/12/2019 from TCP should be strictly followed.
- 45. All the conditions stipulated in the NOC bearing no.PHCN/NOC/Const/2019-20/1203 dated 27/01/2020 Primary Health Centre Navelim, should be strictly followed.
- 46. The Waste generated during the course Construction/ repair renovation etc. shall be disposed off by the applicant/s in a scientific manner without harming the environment in its own property.
- 47. The information furnished by the applicant for obtaining the permission for the Construction of Residential House, if found to be false at later stage, or if the conditions Stated herein above are not complied with, the permission issued shall be liable to be withdrawn without pre-judice to the legal action that may be taken against the applicant.
- 48. (a) Applicant shall dispose the construction debris at his / her own level and or the same shall be taken designated site as per the "disposal plan" given by the applicant in the affidavit at his own expenses.

(b) Applicant shall produce the certificate issued by concerned PWD officials of designated sites as mentioned in said notification dated 7-3-2018.

(c) Failing to comply clause (a) + (b) the penalty Shall be imposed to the applicant at the rate of 0.5% on the total cost of the project and also the construction licence.

THIS LICENCE IS VALID FOR A PERIOD OF THREE YEARS FROM THE DATE OF ISSUE OF THIS LICENCE. RENEWAL IF REQUIRED SHALL BE APPLIED WITHIN THE PERIOD OF THE VALIDITY OF THE LICENCE. HE/SHE HAS PAID THE LICENCE FEES TO THE TUNE OF RU?EES 11,26,120/-VIDE RECEIPT NO. 59/16, DATED 21/02/2020.

This carries the embossed seal of Panchayat Office of Village Panchayat Navelim.



FOR VILLAGE PANCHAYAT NAVELIM

(Joaquim Rodrigues Secretary, V.P. Navelim

To,

M/s L & L Builders Pvt Ltd, L & L Corrier Prides, 6<sup>th</sup> floor, Near South Goa District HQ, Margao Goa. Copy to

\*(a) Senior Town Planner TCP Margao.

\*(b) Dy. Labour Commissioner, Opp. District Session Court, Nr.Income Tax Office, Margao-Goa.

\*(c) Medical Officer, Primary Health Centre, Navelim.

- Survigo of mater should be done in such a way that morganic breading deserft take place either by mucruleing field in the tanks wells or properly convering the iron drums/plastic tanks etc. or by observing dry day once a week.
- 6 Overhead Stalks samps are provided with masqueto proof lids and other pipe fittings without any hole for the entry of integratics. Only, is to be covered by muslimizing mash. Ladder for inspection of the tank to be installed if requires.
  - e. Curing water collections should be treated with anti-Larval classicles by the builders/contractors
- 8. Nor to enouge tarbutters for any construction building work unless they are screeged for materia and possess health cards. Liese cards are to be renewed regularly every 4 month. Also arrangement should be done to get their blood tested immediately in case of fever and ensure that full incriment is taken in consolitation with NVBDCP programme.
- Labourer are to be provided with basic antenities like proper shelter, water for drinking and domestic purposes proper sanitary conditions inclusing toilet fieldings
- 40. To fill the pits, directs water pools etc to avoid stagnation and to ensure no mosquito breeding sites in and around especially in unimed item like tyres (notice, fins etc.)
  - the United Southas to be mentatined clean accord the site so that there is no blockage to flow of wat
    - a practice contact to distribute radio of our other work of a contact of manual and manual and and
      - The is to not in so which is the other of the second material and the
- 14. The construction of the compound wall should be as per the approved plan. The applicant shall inform this Panchwar rifer the completion of the compound wall.
- 85 All the conditions stipulated in the Fechnical elestance order tearing ao.TPM/31052/Navelim/26/1 19/6986 dated 04/12/2019 from TCP should be sufettly followed.
- All the conditions simulated in the NOC tearing no.PHCN/NOC/Const/2019-20/1203 dated 27/01/2020. Primmy Health Centre Nevelini, should be strictly followed.
- lo. The Wasta generated during the coarse Construction/ repair renovation etc. shall be disposed off by the applicant's in a scientific manner wilifeut harming the environment in us or a more try.
- 17. The information furnished by the applicant for obtaining the permission for the Construction of Residential House, if forma to be take at later stage, or of the conditions Stated herein above are not complied with, the permission issued shall be liable to be withdrawn without pro-judice to the legal action that may be taken against the amplican.
- 18. (a) Applicant shall dispose the construction debris at his l her own level and or the same shall he taken designated site as per the "disposal plan" given by the applicant, in the affidavit at his own expenses.

(b) Applicant shall produce the certificate issued by concerned PWD officials of designated sites as mentioned in said notification dated 7.3-2018.

(c) Failing to comply clause (a) + (b) the penalty Shall be inspecti to the applicant at the rate of 0.5% (c) the total cost of the project and also the construction licence.

HIS LICENCE IS VALID FOR A PERIOD OF THREE YEARS FROM THE DATE OF ISSER OF THE LICENCE REARWAL IF RECORDED SHALL IF APPLIED WITHIN THE PERIOD OF THE VALIDITY OF THE EXCENCE HEISTE HAS PAID THE LICENCE FEES TO THE TURE OF REC. TS 11.26 128-VIDE RECEPT NO. 5916 DATED 21/02/2020.

This curries the emborsed seal of Parcianat Office of Village Parchayat Novelimi



Affs E & L Builders Pot Etd. L & J. Corrier Prides: 6<sup>th</sup> floor. Near Youth Gos District HQ, Margao Gos Copy to

\*(a) Senior Town Planner TCP Margao

\*(b) Dy. I about Commissioner, Opp. Disbita Session Court. Mr Income Tax Office: Margno-Goat.
\*(c) Medical Officer, Primary Health Contre, Naveling.