



GOA 2023



OFFICE OF THE TOWN PLANNER, TOWN AND COUNTRY PLANNING DEPTT.
4TH FLOOR, COMMERCE CENTER, MORMUGAO TALUKA OFFICE
VASCO-DA-GAMA GOA.
Website: <https://tcp.goa.gov.in>

Ref No: DH/6762/Arossim/125/6-A/97e

Dated: 28/02/2023

TECHNICAL CLEARANCE ORDER

Technical Clearance is hereby granted for carrying out proposed **Construction of Residential / Commercial building (Blocks A & B) & Compound wall** as per the enclosed approved plans in the property zoned as 'Settlement Zone' as per Regional plan for Goa 2021 situated at Arossim village, Mormugao Taluka bearing Survey no. 125/6-A, plot no. with the following Conditions:-

1. Construction shall be strictly as per the approved plans. No changes shall be affected in the approved plans/approved built spaces without the prior permission of this Authority.
2. The permission granted shall be revoked if any information, plans, calculations, documents and any other accompaniments of the application are found incorrect or wrong at any stage after the grant of the permission will not entitle for any compensation.
3. The development permission will not entitle the applicant for making/laying any claim on water and any other connection from the Government of Goa.
4. The Developer/applicant should display a sign board of minimum size 1.00 mts x 0.50 mts with writing in black colour on a white background at the site, as required under the Regulations.
5. The commencement and the completion of the work shall be notified to the authority in writing in appropriate forms.
6. The applicant shall obtain Conversion Sanad under the Goa Land Revenue Code, 1968 before obtaining construction licence.
7. In case of any cutting of sloppy land or filling of low-lying land, beyond permissible limits, prior permission of the Chief Town Planner has to be obtained before the commencement of the works as per the provisions of section 17 (A) of the Goa Town and Country Planning Act 1974.
8. The soak pit should not be located within a distance of 15.00 mts from any existing well in the surrounding area.
9. Completion order has to be obtained from this office before applying for Occupancy Certificate from the licensing authority.
10. Storm water drain should be constructed along the boundary of the affected plot abutting the road.
11. The village panchayat shall not issue any trade licence in the stilt floor/garbage and shall be strictly used for parking of vehicles only.
12. All the setbacks shown in the approved site plan has to be strictly maintained.
13. No completion order shall be issued if the construction is carried out in violation of the approved plan.
14. Adequate arrangement shall be made for the collection of garbage and its safe disposal at the satisfaction of the Village Panchayat.
15. Adequate utility space for the transformer etc. should be reserved within the plot area.
16. The ownership of the property and the traditional access if any passing through the property shall be verified by the village panchayat before issue of construction licence.
17. Verification of the tenancy position as on 2/11/1990 and thereafter shall be made by the licensing body before issuing the licence.
18. As regards complaints, pertaining to encroachments, judicial orders/directive and other legal issues, the same may be verified and confirmed by the concerned village Panchayat before issuing licence.
19. The area under road Widening shall be deemed to be public road and shall not be enclosed/encroached. Affidavit/undertaking in this regard shall be sworn before the village panchayat/PWD as the case may be on stamp paper of Rs. 100/
20. The compound wall shall be constructed after leaving the road widening area as shown in the site plan.

21. In case of compound walls, the gates shall open inwards only and traditional access, if any passing through the property shall not be blocked.
22. Maximum height of a compound wall along the boundary other than that abutting on a street shall be 1.80 mts and along the boundary abutting on a street upto a height of 1.50 mts only and which shall be of closed type up to a height of 90 cms. Only and open type above that height.
23. The Village panchayat shall ensure about the availability of power and water supply and other required infrastructure before issuing licence.
24. Along the intersections of streets no compound wall shall be raised to a height of more than 1.0 mts from the crown of the road for a length of 9.00 mts from the intersections corner of the on both sides of the plot.
25. In case of road intersection the construction of compound wall should be carried out in a smooth curve of 3.00 mts radius for roads upto 10.00 mts R/W and that of 5.00 mts radius for roads above 10.00 mts R/W.
26. Construction of compound wall shall be carried out after leave a setback of 4.00 mts from the Centre line of the road.
27. Stilt parking shall be strictly used for the purpose of parking of vehicles only.
28. Trees within the plot shall be planted as per Regulation 18 of the Goa Land Development and Building Construction Regulation 2010. The same shall be verified by local body before issue of Occupancy Certificate.
29. Debris of the existing structure proposed for demolition shall be deposited in the area identified for the said purpose by the PWD and shall not be dumped in any other area.
30. Payment of prescribed fees which is 1 % of the total cost of construction of project shall be made prior to obtaining completion order.
31. 6.00mt wide access and 1.50 mt traditional pathway access shown towards southern side and northern side shall not be blocked of any point of time
32. Shops shall be used for soft commercial use only.

This Technical Clearance Order is issued with the approval of Government obtained vide Note no. DH/6762/Arossim/125/6-A/801 dated 14/12/2022.

Engineer who has design the RCC structure of the project proporent is liable for structural design and stability of the project. Structural Liability certificate dated 26/09/2022 issued by Eng. Mr. Pascoal B. Noronha. Reg No. SE/0032/2010.

Note: Pursuant to this office assessment order No. DH/6762/Arossim/125/6-A/946 dated 23/02/2023 the applicant has paid Infrastructure tax for an amount of Rs. 6,89,378/- (Rupees Six Lakhs Eighty Nine Thousand Three Hundred and seventy eight only) vice challan no. 81 dated 23/02/2023.

THIS ORDER IS ISSUED WITH REFERENCE TO THE APPLICATION DATED 13/10/2022 RECEIVED FROM Mrs. Marlene Furtado Costa Martins.

THIS ORDER IS VALID FOR THREE YEARS FROM THE DATE OF ISSUE OF CONSTRUCTION LICENCE PROVIDE THE CONSTRUCTION LICENCE IS ISSUED WITHIN THE PEIOD OF THREE YEARS.


(Ritesh Shirodkar)
Dy. Town Planner

✓ To,
Mrs. Marlene Furtado Costa Martins,
C/o Ignatius Tony Pereira (Power of Attorney Holder)
H.no 86/D, Baga,
Cansaulim, Goa. 403712

Copy to:
The Sarpanch/Secretary
Village Panchayat of Cansaulim, Arossim, Cuelim,
Cansaulim Mormugao, Goa.

'Swachh Bharat-Nital Goem'(Clean India-clean Goa)