

BLDG. FLOOR WISE AREA CALCULATION

BUILDING FLOORS	Total b.u.a	Atrium	Staircase	Lift	Escalator	POYER, LOBBY, 7.5% Free from F.A.R	Parking	Ramp	Services 10% Free from F.A.R	vert/ balc/ panel corridors	apart Terrace	total free of f.a.r area	f.a.r area
basement floor	12465.11	-	767.30	62.54	31.32	1011.73	8349.71	475.39	1246.26	-	-	11944.25	520.86
ground floor	11663.05	2609.33	704.15	125.91	-	144.35	-	-	-	-	-	3583.74	8079.31
first floor	9474.37	-	707.50	93.74	308.00	233.49	-	-	-	1305.87	-	2648.60	6825.77
second floor	9706.90	-	707.50	93.74	308.36	221.05	-	-	-	1306.87	-	2709.82	6997.08
third floor	9680.55	-	707.50	86.03	192.64	218.15	-	-	-	754.00	-	1058.32	8622.23
Fourth floor	8391.17	-	707.50	61.37	192.64	48.90	-	-	-	1246.42	828.58	3085.41	5305.76
Fifth floor	3945.34	-	382.24	50.55	-	251.74	-	-	-	453.66	-	1138.19	2807.15
TOTAL	65626.89	2609.33	4883.69	573.88	1105.49	2129.41	8349.71	475.39	1246.26	5065.82	828.58	27677.53	38559.36
BUILDING F.A.R AREA													38559.36 SQ.M

Municipal Engineer (Dr. B) Corporation of the City of Panaji

- NOTE:
 1. STACK PARKING.
 2. ALL TOILETS AREA MECHANICALLY VENTILATED.
 3. ALL NUMBERED UNITS TO BE USED FOR RETAIL/ F & B/ COMMERCIAL & RESTAURANT & RESTAURANT BAR

APPROVED FROM PLANNING POINT SUBJECT TO CONDITIONS GIVEN VIDE ORDER No. NG PAN/06/PRT/22-23/187/2022 DATED 18 OCT 2022

MEMBER SECRETARY NORTH GOA PLANNING & DEV. AUTHORITY PANAJI - GOA

AREA STATEMENT

TOTAL PLOT AREA	= 18,120.00 SQ.M.
AREA UNDER ROAD WIDENING	= 0.00 SQ.M.
NET PLOT AREA	= 18,120.00 SQ.M.
PERMISSIBLE COVERAGE (50%)	= 9060.00 SQ.M.
PROPOSED GROUND COVERAGE (49.96%)	= 9053.72 SQ.M.
PERMISSIBLE F.A.R (2.50)	= 45,300.00 SQ.M.
PROPOSED F.A.R (2.12%)	= 38559.36 SQ.M.
7.50% ADDITIONAL F.A.R FOR LOBBY ETC. OF 38559.36 SQ.M	= 2891.95 SQ.M.

PARKING STATEMENT

RETAIL/ F & B/ COMMERCIAL USE	= 20235.85 SQ.M. = 578 CARS
RESTAURANT	= 6562.50 SQ.M. = 187 CARS
AUDITORIUM AREA	= 1801.74 SQ.M. = 51 CARS
TOTAL	= 28599.09 SQ.M. = 816 CARS

PARKING PROVIDED AT BASEMENT LEVEL:

- BASEMENT STACK PARKING = 245
- BASEMENT SURFACE CAR PARKING = 295
- SURFACE STACK PARKING = 90
- SURFACE CAR PARKING = 114
- Robotic parking - 94 nos

TOTAL CAR PARKING PROVIDED = 838

CAR PARKING REQUIRED = 816 NOS

28599.09 SQ.M = 816 CARS PARKING

SITE PLAN SCALE-1:500

CORPORATION OF THE CITY OF PANAJI
 Approved L.I.C. No. 1103/1/CCP/ENG/CONS-LIC-19/1
 Date: 11-11-2022


PROJECT TITLE:
 REVISED PLANS FOR PROPOSED CONSTRUCTION OF MALL ON PLOT NO. 35 AT EDC PATTO PLAZA, PANAJI, GOA.

CLIENT: DLF LIMITED

SUBMISSION DRAWING

OWNER SIGN	CONSULTANT SIGN

PARESH GAITONDE
 CIVIL ENGINEER
 C.E. (REG. NO. 1572010)



DOOR & WINDOW SCHEDULE

TYPE	OPENING SIZE (F.F.L)	CILL	LINTEL (F.F.L)	LINTEL (T.O.S)	REMARKS
D1	2000X2400	+0.0	+2400	+2450	ENTRANCE DOOR
D2	2000X2400	+0.0	+2400	+2450	TYPICAL INTERNAL DOOR
D3	1100X2400	+0.0	+2400	+2450	TYPICAL CORRIDOR DOOR
FD	2000X2400	+0.0	+2400	+2450	STAIRCASE (2 HR. FIRE DOOR)
FDa	2000X2400	+0.0	+2400	+2450	FIRE DOOR FOR STAIRCASE IN BENCH/STAIR CASE CHASE
FD2	2000X2400	+0.0	+2400	+2450	FIRE CORRIDOR DOOR (FOR FIRE RATED DOUBLE LEAF)
FD3	2000X2025	+0.0	+2100	+2150	(2 HR. FIRE DOOR) FOR ELEC SHAFT
AD1	2000X2400	+0.0	+2400	+2450	AUDITORIUM DOOR
AD2	2000X2400	+0.0	+2400	+2450	AUDITORIUM Foyer DOOR
W1	2000X2400	+1050	+2400	+2450	STAIRCASE WINDOW

NOTE:
 1. BASEMENT STACK PARKING
 2. ALL TOILETS AREA MECHANICALLY VENTILATED.
 ALL NUMBERED UNITS TO BE USED FOR RETAIL / F & B / COMMERCIAL
 STACK CAR PARKING : 245 CARS
 SURFACE CAR PARKING : 295 CARS
 TOTAL PARKING : 245+295= 540 CARS

BASEMENT FLOOR PLAN
 SCALE = 1:200

APPROVED FROM PLANNING POINT
 SUBJECT TO CONDITIONS ABOVE
 VISIT ORDER No. 144/104/22-23/678/18/2
 DATED 19 OCT 2023

MEMBER SECRETARIAT
 NORTH ZONE
 PLANNING & DEVELOPMENT
 PANAJI - GOA

PROJECT TITLE:
 REVISED PLANS FOR PROPOSED CONSTRUCTION OF MALL ON PLOT NO. 35 AT ADC PATTO PLAZA, PANAJI, GOA.

CLIENT: DLF LIMITED
 SUBMISSION DRAWING
 OWNER SIGN _____


CONSULTANT SIGN _____



DOOR & WINDOW SCHEDULE					
TYPE	OPENING SIZE (F.F.L)	CILL	LINTEL (F.F.L) / UNTEL (T.O.S)	REMARKS	
D1	2000X2400	±0.0	+2400	+2450	BRICKFACE DOOR
D2	2000X2400	±0.0	+2400	+2450	TYPICAL INTERNAL DOOR
D3	1100X2400	±0.0	+2400	+2450	TYPICAL CORRIDOR DOOR
FD	2000X2400	±0.0	+2400	+2450	STAIRCASE (2 HR) FIRE DOOR
FDc	2000X2400	±0.0	+2400	+2450	FIRE DOOR FOR STAIRCASE IN GARAGE/COMMON ON GROUND
FD2	2000X2400	±0.0	+2400	+2450	FIRE CORRIDOR DOOR (2HR FIRE RATED DOOR LEAF)
FD3	2000X2025	±0.0	+2100	+2150	1 HR FIRE DOOR / 2 HR FIRE DOOR
AD1	2000X2400	±0.0	+2400	+2450	AUDITORIUM DOOR
AD2	2000X2400	±0.0	+2400	+2450	AUDITORIUM FINGER DOOR
W1	2000X2400	+1050	+2400	+2450	BRICKFACE WINDOW

CAR PARKING : 27 SURFACE CARS + 188 STACK CARS +27 +188 +215 CARS

NOTE:
1. ALL TOILETS AREA MECHANICALLY VENTILATED.
ALL NUMBERED UNITS TO BE USED FOR RETAIL / F & B / COMMERCIAL.




GROUND FLOOR PLAN
SCALE:1:200

APPROVED FROM PLANNING POINT
SUBJECT TO CONDITIONAL APPROVAL
VALID UNTIL 15/06/2022
DATE: 15/06/2022
PLANNING AUTHORITY
PAAAR, GOA

PROJECT TITLE: REVISED PLANS FOR PROPOSED CONSTRUCTION OF MALL ON PLOT NO. 35 AT EDC PATTO PLAZA, PANAJI, GOA.	
CLIENT: BFL LIMITED	
SUBMISSION DRAWING	
OWNER SIGN	CONSULTANT SIGN

Modelled Building (6, 13) Department of Urban City and Region

DATE OF ISSUE OF THIS APPROVAL: 15/06/2022
APPROVED BY: [Signature]
DATE: 15/06/2022



FIRST FLOOR PLAN
SCALE-1:200

DOOR & WINDOW SCHEDULE					
TYPE	OPENING SIZE (F.F.L.)	CILL	UNTEL (F.F.L)	LINTEL (T.O.S)	REMARKS
D1	2000X2400	±0.0	+2400	+2450	ENTRANCE DOOR
D2	2000X2400	±0.0	+2400	+2450	TYPICAL INTERNAL DOOR
D3	1100X2400	±0.0	+2400	+2450	TYPICAL CORRIDOR DOOR
FD	2000X2400	±0.0	+2400	+2450	STAIRCASE (2 HR. FIRE DOOR)
FDc	2000X2400	±0.0	+2400	+2450	FIRE DOOR FOR STAIRCASE IN SIRCULARS OR OUTSIDE
FD2	2000X2400	±0.0	+2400	+2450	FIRE CORRIDOR DOOR (2HR FIRE RATED) (DOUBLE LEAF)
FD3	2000X2025	±0.0	+2100	+2150	2 HR FIRE DOOR FOR ELEC.SHAFT
AD1	2000X2400	±0.0	+2400	+2450	AUDITORIUM DOOR
AD2	2000X2400	±0.0	+2400	+2450	AUDITORIUM FOYER DOOR
W1	2000X2400	+1.050	+2400	+2450	STAIRCASE WINDOW

NOTE:
1. ALL SHOPS & TOILETS AREA MECHANICALLY VENTILATED.
ALL NUMBERED UNITS TO BE USED FOR RETAIL / F & B / COMMERCIAL

003720070101 OF THE CITY OF PANAJI
Approved by: *MRS. JEELEEN/COMT. LZC-19/Revised-1/2022-2022/43*
Date: 11/1/2022

PROJECT TITLE:
REVISED PLANS FOR PROPOSED CONSTRUCTION OF MALL ON PLOT NO. 35 AT EDC PATTO PLAZA, PANAJI, GOA.

CLIENT: DLF LIMITED
SUBMISSION DRAWING


OWNER SIGN	CONSULTANT SIGN

APPROVED FROM PLANNING POINT
SUBJECT TO CONDITIONS GOVERN
VOID ORDER NO. NO PDA1 06/10/23/02-23/1670/2022
DATE: 18.04.2023
MUNICIPAL SECRETARY
NORTH ZONAL
PLANNING & CON. AUTHORITY
PANAJI - GOA

DOOR & WINDOW SCHEDULE

TYPE	OPENING SIZE (F.F.L)	CILL	LINTEL (F.F.L)	LINTEL (T.O.S)	REMARKS
D1	2000X2400	±0 0	+2400	+2450	ENTRANCE DOOR
D2	2000X2400	±0 0	+2400	+2450	TYPICAL INTERNAL DOOR
D3	1100X2400	±0 0	+2400	+2450	TYPICAL CORRIDOR DOOR
FD	2000X2400	±0 0	+2400	+2450	STAIRCASE (2 HR. FIRE DOOR)
FD0	2000X2400	±0 0	+2400	+2450	FIRE DOOR FOR STAIRCASE IN STAIRWELLS ON OUTSIDE
FD2	2000X2400	±0 0	+2400	+2450	FIRE CORRIDOR DOOR (2HR FIRE RATED DOUBLE LEAF)
FD3	2000X2025	±0 0	+2100	+2150	(2 HR FIRE DOOR) FOR ELEC. SHAFT
AD1	2000X2400	±0 0	+2400	+2450	AUDITORIUM DOOR
AD2	2000X2400	±0 0	+2400	+2450	AUDITORIUM FOYER DOOR
W1	2000X2400	+1050	+2400	+2450	STAIRCASE WINDOW

NOTE:
1. ALL SHOPS & TOILETS AREA MECHANICALLY VENTILATED.
ALL NUMBERED UNITS TO BE USED FOR RETAIL/ F & B / COMMERCIAL



SECOND FLOOR PLAN
SCALE:1:200

REGISTERED PROFESSIONAL ENGINEER (P.E.)
Department of the City of Panaji
Approved by: *[Signature]*
Date: 11/11/2022
Revised: 1/2022-2023/4/3

PROJECT TITLE:
REVISED PLANS FOR PROPOSED CONSTRUCTION OF MALL ON PLOT NO. 35 AT EDC PATTO PLAZA, PANAJI, GOA.

CLIENT: DLF LIMITED
SUBMISSION DRAWING


APPROVED FROM PLANNING POINT
SUBJECT TO CONDITIONS GIVEN
VICE ORDER NO. HO/PLN/26/PLN/22-23/1679/2022
DATED 18 OCT 2022
[Signature]
MEMBER SECRETARIAT
MUNICIPALITY
PLANNING & DEV. AUTHORITY
PANAJI - GOA

OWNER SIGN <i>[Signature]</i>	CONSULTANT SIGN <i>[Signature]</i>
----------------------------------	---------------------------------------

DOOR & WINDOW SCHEDULE

TYPE	OPENING SIZE (F.F.L)	CILL	LINTEL (F.F.L)	LINTEL (T.O.S)	REMARKS
D1	2000X2400	±0.0	+2400	+2450	ENTRANCE DOOR
D2	2000X2400	±0.0	+2400	+2450	TYPICAL INTERNAL DOOR
D3	1100X2400	±0.0	+2400	+2450	TYPICAL CORRIDOR DOOR
FD	2000X2400	±0.0	+2400	+2450	STAIRCASE (2 HR. FIRE DOOR)
FDg	2000X2400	±0.0	+2400	+2450	FIRE DOOR FOR STAIRCASE IN CIRCULARS ON OUTSIDE
FD2	2000X2400	±0.0	+2400	+2450	FIRE CORRIDOR DOOR (2HR FIRE RATED) (DOUBLE LEAF)
FD3	2000X2025	±0.0	+2100	+2150	[2 HR FIRE DOOR] FOR ELEC. SHAFT
AD1	2000X2400	±0.0	+2400	+2450	AUDITORIUM DOOR
AD2	2000X2400	±0.0	+2400	+2450	AUDITORIUM FOYER DOOR
W1	2000X2400	+1050	+2400	+2450	STARCASE WINDOW

NOTE:
1. ALL SHOPS & TOILETS AREA MECHANICALLY VENTILATED.
ALL NUMBERED UNITS TO BE USED FOR RESTAURANT



THIRD FLOOR PLAN
SCALE:1:200

COORDINATION OF THE CITY OF PANAJI
Approved: *[Signature]* 11/11/2022
Date: 11/11/2022
Revised-I/2022-2023/13

[Signature]
Municipal Engineer (Ch. 2)
Representative of the City of Panaji

PROJECT TITLE:

REVISED PLANS FOR PROPOSED CONSTRUCTION OF MALL ON PLOT NO. 35 AT EDC PATTO PLAZA, PANAJI, GOA.

CLIENT: DLF LIMITED
SUBMISSION DRAWING

OWNER SIGN
SUBMISSION DATE: 18/10/2022

[Signature]
DLF LIMITED

CONSULTANT SIGN


[Signature]
PARESH GATTINGO
DIRECTOR (PLANNING)
NORTH GOA
PLANNING & DEV. AUTHORITY
PANAJI - GOA

APPROVED FROM PLANNING POINT
SUBJECT TO CONDITIONS GIVEN
DATE: 18/OCT 2022
[Signature]
MEMBER SECRETARY
NORTH GOA
PLANNING & DEV. AUTHORITY
PANAJI - GOA

DOOR & WINDOW SCHEDULE

TYPE	OPENING SIZE (F.F.L)	CILL	LINTEL (F.F.L)	LINTEL (T.O.S)	REMARKS
D1	2000X2400	±0.0	+2400	+2450	ENTRANCE DOOR
D2	2000X2400	±0.0	+2400	+2450	TYPICAL INTERNAL DOOR
D3	1100X2400	±0.0	+2400	+2450	TYPICAL CORRIDOR DOOR
FD	2000X2400	±0.0	+2400	+2450	STAIRCASE (2 HR. FIRE DOOR)
FD0	2000X2400	±0.0	+2400	+2450	FIRE DOOR FOR STAIRCASE IN GROUND/FAS ON OUTSIDE
FD2	2000X2400	±0.0	+2400	+2450	FIRE CORRIDOR DOOR (2HR FIRE RATED) (DOUBLE LEAF)
FD3	2000X2025	±0.0	+2100	+2150	(2 HR FIRE DOOR) FOR ELEC SHAFT
AD1	2000X2400	±0.0	+2400	+2450	AUDITORIUM DOOR
AD2	2000X2400	±0.0	+2400	+2450	AUDITORIUM FOYER DOOR
W1	2000X2400	+1050	+2400	+2450	STAIRCASE WINDOW

NOTE:
1. ALL SHOPS & TOILETS AREA MECHANICALLY VENTILATED.
ALL NUMBERED UNITS TO BE USED FOR RESTAURANT



APPROVED FROM PLANNING POINT
SUBJECT TO CONDITIONS GIVEN
WORK ORDER NO. 140 PDA / 06/10/22-23/10/22
DATE: 10/11/22

APPROVED FROM PLANNING POINT
SUBJECT TO CONDITIONS GIVEN
WORK ORDER NO. 140 PDA / 06/10/22-23/10/22
DATE: 10/11/22

APPROVED FROM PLANNING POINT
SUBJECT TO CONDITIONS GIVEN
WORK ORDER NO. 140 PDA / 06/10/22-23/10/22
DATE: 10/11/22


PROJECT TITLE:
REVISED PLANS FOR PROPOSED CONSTRUCTION OF MALL ON PLOT NO. 35 AT EDC PATTO PLAZA, PANAJI, GOA.

CLIENT: DLF LIMITED
SUBMISSION DRAWING
OWNER SIGN

CONSULTANT SIGN



DOOR & WINDOW SCHEDULE					
TYPE	OPENING SIZE (F.F.L)	CILL	LINTEL (F.F.L)	LINTEL (T.O.S)	REMARKS
D1	2000X2400	±0.0	+2400	+2450	ENTRANCE DOOR
D2	2000X2400	±0.0	+2400	+2450	TYPICAL INTERNAL DOOR
D3	1100X2400	±0.0	+2400	+2450	TYPICAL CORRIDOR DOOR
FD	2000X2400	±0.0	+2400	+2450	STAIRCASE (7 HR FIRE DOOR)
FD0	2000X2400	±0.0	+2400	+2450	FIRE DOOR FOR STAIRCASE IN GROUND/FLOOR ON OUTSIDE
FD2	2000X2400	±0.0	+2400	+2450	FIRE CORRIDOR DOOR FOR FIRE SHED, STAIRCASE LEVEL
FD3	2000X2025	±0.0	+2100	+2150	2 HR FIRE DOOR FOR ELEC SHAFT
AD1	2000X2400	±0.0	+2400	+2450	AUDITORIUM DOOR
AD2	2000X2400	±0.0	+2400	+2450	AUDITORIUM FOYER DOOR
W1	2000X2400	+1050	+2400	+2450	STAIRCASE WINDOW



FIFTH FLOOR PLAN
SCALE: 1:200

Approved Engineer (Dr. E)
 Representative of the City of Panaji
 APPROVAL OF THE CITY OF PANAJI
 Address: 110, 403/11/2023/ENG/CONS-11C-19/
 Date: 06/11/2023
 Revised-I/2022-2023/4/3


PROJECT TITLE:
 REVISED PLANS FOR PROPOSED CONSTRUCTION OF MALL ON PLOT NO. 35
 AT EDC PATTO PLAZA, PANAJI, GOA.

CLIENT: DLF LIMITED
 SUBMISSION DRAWING

OWNER SIGN	CONSULTANT SIGN

DOOR SCHEDULE

TYPE	OPENING SIZE (F.F.L)	CILL	LINTEL (F.F.L)	LINTEL (T.O.S)	REMARKS
D1	2000X2400	±0 0	+2400	+2450	ENTRANCE DOOR
D2	2000X2400	±0 0	+2400	+2450	TYPICAL INTERNAL DOOR
D3	1100X2400	±0 0	+2400	+2450	TYPICAL CORRIDOR DOOR
FD	2000X2400	±0 0	+2400	+2450	STAIRCASE (2 HR. FIRE DOOR)
FDg	2000X2400	±0 0	+2400	+2450	FIRE DOOR FOR STAIRCASE IN GROUND/FLOOR ON OUTSIDE
FD2	2000X2400	±0 0	+2400	+2450	FIRE CORRIDOR DOOR (2HR FIRE RATED) (DOUBLE LEAF)
FD3	2000X2025	±0 0	+2100	+2150	2 HR FIRE DOOR FOR ELEC. SHAFT
W1	2000X2400	+1050	+2400	+2450	STAIRCASE WINDOW



COOPERATION OF THE CITY OF PANAJI
 Approved by: *[Signature]* / 11/06/2022
 Date: 11/06/2022

PROJECT TITLE:
 REVIDED PLANS FOR PROPOSED CONSTRUCTION OF MALL ON PLOT NO. 35 AT EDC PATTO PLAZA, PANAJI, GOA.

CLIENT: DLF LIMITED

SUBMISSION DRAWING

OWNER SIGN: *[Signature]*
 CONSULTANT SIGN: *[Signature]*

APPROVED FROM PLANNING POINT
 SUBJECT TO CONDITIONS GIVEN
 USE ORDER NO. NS/PLAN/06/180/22-23/1674/2022
 DATED 18 OCT 2022
 MEMBER SECRETARY
 NORTH GOA
 PLANNING & DEV. AUTHORITY
 PANAJI - GOA




10/23


Professional Engineer (P.E.)
Corporation of the City of Palmdale

EAST

NORTH



KEY PLAN




EAST SIDE ELEVATION
SCALE-1:200

- MURTY TOP LVL
F.F.L. 126.000 (+24.900) V.L.
T.O.S. 126.700 (+24.200) V.L.
- TERRACE FLOOR
F.F.L. 121.000 (+20.900) V.L.
T.O.S. 120.900 (+20.400) V.L.
- FIFTH FLOOR
F.F.L. 120.000 (+20.000) V.L.
T.O.S. 122.950 (+24.450) V.L.
- FOURTH FLOOR
F.F.L. 123.000 (+21.900) V.L.
T.O.S. 122.950 (+24.450) V.L.
- THIRD FLOOR
F.F.L. 118.000 (+16.900) V.L.
T.O.S. 117.900 (+16.400) V.L.
- SECOND FLOOR
F.F.L. 113.000 (+11.900) V.L.
T.O.S. 112.950 (+11.450) V.L.
- FIRST FLOOR
F.F.L. 108.000 (+6.900) V.L.
T.O.S. 107.950 (+6.450) V.L.
- GROUND FLOOR
F.F.L. 103.000 (+1.900) V.L.
T.O.S. 102.950 (+1.450) V.L.
- BASEMENT FLOOR
F.F.L. 98.275 (-3.225) V.L.
T.O.S. 98.200 (-3.300) V.L.

APPROVED FROM PLANNING POINT
SUBJECT TO CONDITIONS GOVERN
VIDEO ORDER No. NO PDA / BC / PM / 22-23 / 1678 / 2022
DATED 11 OCT, 2022

MEMBER GEORGETAPPA
PLANNING & DEV. AUTHORITY
PALMDALE, CALIF.




NORTH SIDE ELEVATION
SCALE-1:200

- MURTY TOP LVL
F.F.L. 126.000 (+24.900) V.L.
T.O.S. 126.700 (+24.200) V.L.
- TERRACE FLOOR
F.F.L. 121.000 (+20.900) V.L.
T.O.S. 120.900 (+20.400) V.L.
- FIFTH FLOOR
F.F.L. 120.000 (+20.000) V.L.
T.O.S. 122.950 (+24.450) V.L.
- FOURTH FLOOR
F.F.L. 123.000 (+21.900) V.L.
T.O.S. 122.950 (+24.450) V.L.
- THIRD FLOOR
F.F.L. 118.000 (+16.900) V.L.
T.O.S. 117.900 (+16.400) V.L.
- SECOND FLOOR
F.F.L. 113.000 (+11.900) V.L.
T.O.S. 112.950 (+11.450) V.L.
- FIRST FLOOR
F.F.L. 108.000 (+6.900) V.L.
T.O.S. 107.950 (+6.450) V.L.
- GROUND FLOOR
F.F.L. 103.000 (+1.900) V.L.
T.O.S. 102.950 (+1.450) V.L.
- BASEMENT FLOOR
F.F.L. 98.275 (-3.225) V.L.
T.O.S. 98.200 (-3.300) V.L.

CORPORATION OF THE CITY OF PALMDALE
ADDRESS: 117 W. 20th / SCD / ENG / CONT - LIC-19 / Revised - 10/2022 - 2023/43
DATE: 11-11-2022


PROJECT TITLE: REVISED PLANS FOR PROPOSED CONSTRUCTION OF SMALL CIVIL PLANT NO. 22 AT 100 WEST PALMDALE PARKWAY
CLIENT: SFP LIMITED
EXEMPTION NUMBER:
OWNER'S SIGN: _____
CONSULTANT SIGN: _____




WEST SIDE ELEVATION SCALE-1:200

APPROVED FROM PLANNING POINT
 SUBJECT TO CONDITIONS GIVEN
 VIDE ORDER NO. NG PMA 126/14/NC/22-23/1678/2022
 DATED: 08.07.2022
 MEMBER SECRETARY
 NORTH - CA
 PLANNING & DEV. AUTHORITY
 PAKAJI - BDA

WEST




Registered Engineer (CE - 1)
Registration of the City of Pune




SOUTH SIDE ELEVATION SCALE-1:200

APPROVED BY THE CITY OF PUNE
 APPROVED L.P. 2022/10/ENG/CONST-122-19/
 Date provided: 20/05/2022-2023/03
 2024/11/11-2022

PROJECT SITE	APPROVED PLAN FOR PROPOSED CONSTRUCTION OF MALL ON PLOT NO. 15 PLOT PAKAJI MAIN, PAKAJI
CLIENT FULL NAME	
DISTRIBUTION ADDRESS	
OWNER SIGN	CONSULTANT SIGN




SECTION A-A
SCALE: 1:200



APPROVED FROM PLANNING POINT
SUBJECT TO CONDITIONS GIVEN
VISE ORDER NO. 163/PAL/22-23/1678/2023
DATED 18 DECEMBER 2023

MEMBER SECRETARIAT
NORTH ZONING
PLANNING & DEV. AUTHORITY
PANAJI - GOA




SECTION E-E
SCALE: 1:200

PROPOSED CONSTRUCTION OF THE SITE AS SHOWN
Approved L12-10-493/15-C/ENG/CONST-12-19
C.A. Annas Revised 11/2022-2023/23


PROJECT TITLE: REVISION DRAWING
CLIENT: SEE LIMITED
DESIGNER: SEE LIMITED
CONSULTANT SIGN: SEE LIMITED

DATE: 11-11-2023





Why
 Municipal Engineer (05. 81)
 Corporation of the City of Panaji



APPROVED FROM PLANNING POINT
 SUBJECT TO CONDITIONS GIVEN
 VIDE ORDER No. NG PDA/ 06/PAN/22-23/1678/2022
 DATED 18 OCT 2022

[Signature]
 MEMBER SECRETARY
 NORTH - 2A
 PLANNING & DEV. AUTHORITY
 PANAJI - GOA

PROJECT TITLE	REVIEWED PLANS FOR PROPOSED CONSTRUCTION OF SMALL ON PLOT NO. 35 AT 50/100 PASTORAL PANAJI, GOA.
CLIENT / JOB NUMBER	
SUBMISSION DRAWING	
OWNER / SEAL	CONSULTANT SEAL

CORPORATION OF THE CITY OF PANAJI
 Approved by: *[Signature]* / 11/03/2022
 City Engineer / 11/03/2022
 Revised: 1/2022 - 2023/23

SECTION C-C
 SCALE: 1:200