





/ILLAGE PANCHAYAT PENHA DE FRANCA

BRITONA B A R D E Z – G O A, Ph.: Nos.: 2417822

Ref. No. VP/PDF/oly /20-21/101/01

Dated 20-5-2080

CONSTRUCTION LICENCE

Licence is hereby granted to you in pursuance of Resolution No. III(2) duly approved by the Village Panchayat of Penha De Franca in its meeting held on date 16/05/2020 for carrying out the

- (a) Construction of residential building & Compound Wall in the property bearing Sy. No. 141/6 at Halliwada, Penha de Franca.
- (b) Land sub-division (Provisional/Final)

Subject to the following conditions:-

- The applicant shall notify the Panchayat for giving the alignment of the building
- clearances from any overhead electrical line passing adjacent to the construction. The construction should maintain the minimum prescribed horizontal and vertical
- signed the Structural Liability Certificate submitted to the Panchayat Structural works shall be designed and supervised by the Engineer who has
- material shall be stacked on the Public roads No material for construction or earth from excavation or any other construction
- σ from the Panchayat. The Building should not be occupied unless the occupancy certificate is obtained
- application on which the permit was based statement or misrepresentation of any material passed, approved or shown in the per the approved plans and the statements therein and whenever there is any false The construction license shall be revoked if the construction work is not executed as
- The Applicant should construct a separate soak pit in order to derivate in the sullage
- any well. Any soak pit should be constructed at a minimum distance of 15 meters away from
- The ventilation pipe of the septic tank should be provided with a mosquito net
- The Applicant sewerage line at their own cost, when the sewerage line is commissioned. should connect the pipelines from their latrines/WC's Ç
- 11. The Applicant should fix a board at a prominent place whenever the construction is development work has been granted. started, indicating the number, the date and the authority for which the licence for
- site before applying for the Occupancy certificate All the building material and other rubbish should be cleared from the construction
- 13. Water storage tanks shall be provided with mosquito proof lids and over flow pipes The tanks should be provided with access ladders wherever necessary.
- 14. The drains surrounding the plot if any should be constructed with PCC and should be covered with removable RCC labs of sufficient thickness
- 15. The Applicant should gift the road applying for the Occupancy certify the Village Panchayat before has utilized the extra FAR in

lieu of the road widening affecting th plot WA SE FRANCE Cont

V.P. Penha de/Franca

- 16. The applicant should plaster and paint the building internally as well as externally ashlars masonry finish to buildings will also be permitted. before applying for Occupancy certificate. Exposed rock/laterite/concrete/stone/
- 17. The applicant should provide a Panchayat vehicle for collection of garbage. dustbin at a convenient place accessible for the
- 18.Road widening area shall be asphalted to the existing road level before applying for occupancy certificate.
- 19. Garages and Parking areas shown in the approved plan shall be strictly used for activities shall be allowed in these areas. Parking purposes only and should be easily accessible to vehicles. No commercial
- drainage facilities. Access up to the entrance of the building is to be paved and is provided with
- 21.Space for parking of vehicles is clearly demarcated on the ground.
- 22.No Restaurants/Bars will be permitted in the shops unless a separate soak pit is provided besides confirming to the rules in force.
- 23. permission is obtained from this Panchayat. commercial activities will be permitted in the shops unless
- 24 demolished before applying for Occupancy certificate. All Temporary sheds/Existing buildings shown to be demolished in the plan are
- 25.Fire approved plans. Escape staircases, if applicable shall be constructed as indicated in the
- 26. All internal courtyards should be provided with drainage outlet
- 27. The applicant should maintain all existing natural drains in the plot and should not block them at any stage.
- 28. No soak pit or other structures should come in the road widening area
- 29. The plot boundary should be cordoned by continuous sheet fencing either of wood or metal during the construction period.
- 30. The construction of compound wall should not obstruct any pathway or any public water by keeping adequate openings in the compound wall for the purpose access. The applicant shall make necessary arrangements for smooth flow of rain
- 31. Storage of water should be done in such a way that mosquito breeding doesn't take drums/plastic tanks etc. or by observing dry day once a week. Place either by introducing fish in the tanks/wells or properly covering the iron
- 32. muslin/wire mesh. Ladder for inspection of the tank to be installed if required. Overhead tanks/sumps are provided with mosquito proof lids and other pipe fittings without any hole for the entry of mosquitoes. Outlet is to be covered by
- 33. Curing water collections should be treated with anti-Larval chemicals by the builders/contractors
- 34. Not to engage Labourers for any constructions/building work unless they are with NVBDCP programme. immediately in case of fever and ensure that full treatment is taken in consultation regularly every 3 month. Also arrangement should be done to get their blood tested malaria and posses health cards. These cards are to be renewed
- <u>35</u> drinking and domestic purposes, Portugal ರ bе provided with basic amenities like proper shelter, water for sanitary conditions including toilet

V.P. Penhalde Franca

- 36. To fill the pits, ditches water pools etc to avoid stagnation and to ensure no mosquito breeding sites in and around specially in unused item like tyres, bottles,
- 37.Drains/ Nallahs to be maintained clean around the site so that there is no blockade cleaning of water should be done. to flow of water. The gradient should be proper for drainage/flow and also proper
- 38. The Health units at the respective levels should be involved in the planning process.
- 39. No gates shall open outwards on to the road.
- 40. The Construction of the compound wall, if any should be as per the approved plan. The applicant shall inform this Panchayat after the completion of the compound
- 41. Drinking water well should be 15 meters away from any soak pit.
- TPB/1332/PDF/TCP-20/399 dated 24/01/2020 from TCP should be strictly conditions stipulated in the Technical clearance order bearing
- 43. All the conditions stipulated in the NOC bearing no. PHCP/NOC/2019-20/2648 dated 02/03/2020 from the Primary Health Centre, Porvorim should be strictly followed.
- same to be intimated to Village Panchayat office. without harming the environment in its own property or at the designated site and The Waste or Construction debris generated during the Course Construction/repair /renovation etc. shall be disposed off by the applicant/s in a scientific manner
- 45. The information furnished by the if the conditions Stated herein above are not complied with, the Permission issued taken against the applicant. shall be liable to be withdrawn without pre-judice to the legal action that may be Sy. No. 141/6 at Halliwada, Penha de Franca, if found to be false at later stage, or Construction of residential building & Compound wall in the property bearing applicant for obtaining the permission for

ISSUE OF THIS LICENCE. RENEWAL IF REQUIRED SHALL BE APPLIED WITHIN THE 20/05/2020. PERIOD OF THE VALIDITY OF THE LICENCE. HE/SHE HAS PAID THE LICENCE FEES THIS LICENCE IS VALID FOR A PERIOD OF THREE YEARS FROM THE DATE OF THE TUNE OF RUPEES Rs. 72000.00 VIDE RECEIPT No. 029/1195 DATED

This carries the embossed seal of Panchayat office of Village Panchayat Penha

K PANC

De Franca.

To,

Mary Park

V. P. Penha De

Mercy Construction Co., 17/A, Ground Floor, Boran Road, Bandra (West), Mumbai – 400050