Ph.No.: (0832) 2272205

## ग्राम पंचायत शिवोली - मार्ना

्**ता. बार्देश - गौवा** पिनः ४०३ ५१७



## VILLAGE PANCHAYAT SIOLIM - MARNA

TALUKA - BARDEZ - GOA PIN: 403 517

Ref. No. VP/S.M./ 18-19/20/2061

Date: 27/12/2018

## CONSTRUCTION LICENSE

06/12/2018 for carrying out the:approved by the Village Panchayat Siolim-Marna in its meeting held on date License is herby granted to you in pursuance of Resolution No. 9(2) duly

- Block B, Swimming Pool and Compound Wall (Revised Plan) by Mr. Antonio Village, Taluka Bardez-Goa. Oscar Armando De Lima Pereira in property bearing Survey No. 49/10 at Marna a. Construction of Residential Row Villas A-1, A-2, A-3, A-4 and A-5, Building
- b. Land sub-division (Provisional/Final)

## Subject to the following conditions:-

- The applicant shall notify the Panchayat for giving the alignment of the building
- Ņ The construction should maintain the minimum prescribed horizontal and vertical clearances from any overhead electrical line passing adjacent to the construction.
- ώ All RCC/Structural works shall be designed and supervised by the Engineer who has signed the Structural Liability Certificate submitted to the Panchayat.
- 4. stacked on the Public roads. No material for construction or earth from excavation or any other construction material shall be
- The Building should not be occupied unless the occupancy certificate is obtained from the
- ō misrepresentation of any material passed, approved or shown in the application on which the approved plans and the The construction license shall be revoked if the construction work is not executed as per the permit was based statements therein and whenever there is any false statement
- The applicant should construct a separate soak pit in order to derivate in the Sullage water.
- Any soak pit should be constructed at a minimum distance of 15 meters away from any well
- The ventilation pipe of the septic tank should be provided with a mosquito net
- 10, The applicant should connect the pipelines from their latrines/WC's to the sewerage line at their own cost, when the sewerage line is commissioned.
- Ľ indicating the number, the date and the authority for which the license for development work has The applicant should fix a board at a prominent place whenever the construction is started,
- 12, All the building material and other rubbish should be cleared from the construction site before applying for the Occupancy certificate
- 13. Water storage tanks shall be provided with mosquito proof lids and over flow pipes. The tanks should be provided with access ladders wherever necessary.

hith removable RCC slabs of sufficient thickness. the drains surrounding the plot if any should be constructed with PCC and should be covered

VILLAG!

- 15. The applicant should gift the road widening area to the Village Panchayat before applying for the Occupancy certificate, if the applicant has utilized the extra FAR in lieu of the road widening
- · 16. The applicant should plaster and paint the building internally as well as externally
- The applicant should provide a dustbin at a convenient place accessible for the Panchayat vehicle for collection of garbage.
- 18. Road widening area shall be asphalted to the existing road level before applying for occupancy
- Garages and Parking areas shown in the approved plan shall be strictly used for parking purposes only and should be easily accessible to vehicles. No commercial activities shall be allowed in these
- 20. Access up to the entrance of the building is o be paved and is provided with drainage facilities
- Space for parking of vehicles is clearly demarcated on the ground.
- No Restaurants/Bars will be permitted in the shops unless a separate soak pit is provided besides confirming to the rules in force.
- 23. No commercial activities will be permitted in the shops unless a separate permission is obtained
- 24. All Temporary shed/Existing buildings shown to be demolished in the plan are demolished before applying for Occupancy Certificate.
- 25. Fire Escape staircases, if applicable shall be constructed as indicated in the approved plans
- All internal courtyards should be provided with drainage outlet.
- 27. The applicant should maintain all existing natural drains in the plot and should not block them
- 8 No soak pit or other structures should come in the road widening area
- 29. The plot boundary should be cordoned off by continuous sheet fencing either of wood or metal during the construction period.
- The construction of compound wall should not obstruct any pathway or any public access. The compound wall for the purpose openings in the compound wall for smooth flow of rain water by keeping adequate openings in the applicant shall make necessary arrangements for smooth flow of rain water by keeping adequate
- Storage of water should be done in such a way that mosquito breeding doesn't take place either by observing dry day once a week. by introducing fish in the tanks/wells or properly covering the iron drums/plastic tanks etc. or
- Overhead tanks/sumps are provided with mosquito proof lids and other pipe fittings without any inspection of the tank to be installed if required. hole for the entry of mosquitoes. Outlet is to be covered by muslin/wire mesh, Ladder for
- Curing water collections should be treated with anti-Larval chemicals by the builders/contractors.
- 34. Not to engage Labourers' for any construction/building work unless they are Screened for malaria full treatment is taken in consultation with NVBDCP programme. arrangement should be done to get their blood tested immediately in case of fever and ensure that and posses health cards. Those cards are to be renewed regularly every 3 months,
- Labourers to be provided with basic amenities like proper shelter, water for drinking and domestic proposes, proper sanitary conditions including toilet facilities.
- 36, To fill the pits, ditches water pools etc to avoid stagnation and to ensure no mosquito sites in and around specially in unused item like tyres, bottles, tins etc.



- 37. Drains/Nattahs to be maintained clean around the site so that there is no blockade to flow of water. The gradient should be proper for drainage/flow and also proper cleaning of water should
- The Health units at the respective levels should be involved in the planning process
- No gates shall open outwards on to the road.
- 40. The construction of the compound wall, if any should be as per the approved plan. The applicant shell inform this Panchayat after the completion of the compound wall.
- Drinking water well should be 15 meters away from any soak pit.
- Applicant shall dispose the construction debris at his/her own level and/or the same shall be own expenses. taken to the designated site as per the disposal plan given by the applicant in the affidavit at his
- Applicant shall produce the certificate issued by the concerned PWD officials of designated sites as mentioned in the said notification dated 07/03/2018.
- 44. Failing to comply clause (a) and (b) the penalty shall be imposed to the applicant at the rate of be withdrawn/cancelled. 0.5% on the total cost of the project and also the construction licence issued to the applicant shall
- TPB/3873/Marna/TCP-18/4609 dated 05/11/2018 from TCP should be strictly followed. conditions stipulated in the Technical clearance order guinesd no.
- 46. The Conversion Sanad received from Office of the Additional Collector-III, North-Goa, District, Mapusa-Goa vide No. 4/158/CNV/AC-III/2017/72 Dated 22/01/2018.
- 47. All the conditions stipulated in the NOC bearing No. PHCS/HS/NOC/17-18/1899 dated 17/01/2018 from Primary Health Centre, Siolim, Bardez-Goa, should be strictly followed.
- 48. The waste generated during the Course Construction/repair renovation etc. shall be disposed off by the applicant/s in a scientific manner without harming the environment in its own property.
- 49. The information furnished by the applicant for obtaining the permission for Construction of legal action that may be taken against the applicant. Bardez-Goa, if found to be false at later stage, or if the conditions stated herein above are not Residential Row Villas A-1, A-2, A-3, A-4 and A-5, Building Block B, Swimming Pool and complied with, the Permission issued shall be liable to be withdrawn without pre-judice to the Compound wall (revised plan) in property bearing Survey No. 49/10 at Siolim Village Siolim,

THE LICENSE. HE/SHE HAS PAID THE LICENSE FEES TO THE TUNE OF IF REQUIRED SHALL BE APPLIED WITHIN THE PERIOD OF THE VALIDITY OF THIS LICENSE IS VALID FOR A PERIOD OF THREE YEARS FROM THE DATE RUPEES 21/12/18 10 온시 11 나 그 8300 /. VIDE RECEIPT NO. OF ISSUE OF THIS LICENSE, RENEWAL SYY / 4 ~ DATED 27/

12/2018

Mama This carries the embossed seal of Panchayat Office of Village Panchayat Siolim

Patto Plaza, Panaji-Goa Mr. Antonio Oscar Armando de Lima Pereira 611, 6th floor, Equiknox Ventures Pvt Ltd Gera Imperium-I

Secretary
V. P. Siolim Marna

ecretary