



Government of Goa
Directorate of Health Services

PRIMARY HEALTH CENTRE, LOUTOLIM

LOUTOLIM GOA

Tel. / Fax :- (0832-2777140/0832-2858700) Email- phc.loutolim@gmail.com

No: PHCL/DHS/NOC/2021-22/263

Date: 21/02/2022

Sub: - NOC from Sanitary Point of view for Proposed construction of residential row houses and compound wall.

Ref: TPM/33437/Nuv/3/4-B-1/2022/558, dated 04/02/22.

Sir/Madam,

With reference to your letter No: Nil dated 12/02/22, I am to inform you that, this office has **NO OBJECTION** from sanitary point of view for **of Proposed construction of residential row houses and compound wall**, as per the enclosed approved plan TPM/33437/Nuv/3/4-B-1/2022/558, dated 04/02/22, in the property zoned as settlement in Regional for Goa 2021 situated at Nuvem Village, Taluka Salcette, bearing, Sy. No. 3 / 4-B-1, to **Mr. Vijay V. Kulkarni,** subject to the following conditions: -

1. Cleanliness is maintained in and around the construction sites.
2. The Capacity of each ST/SP for the said constructions should be of 30 persons each as per the approved plan & at a minimum distance of 15 meters from any source of drinking water/well. **IN CASE THERE IS A CHANGE MADE IN THE LOCATION OF SOAK PIT AND SEPTIC TANK AN ORDER OF RE-LOCATION OF SOAK PIT AND SEPTIC TANK OR A REVISED PLAN SHOULD BE PASSED IN THE TOWN AND COUNTRY PLANNING DEPT. SHOWING THE RE-LOCATION OF SOAK PIT AND SEPTIC TANK . before completion order**
3. No health hazard or any other environmental pollution is created in the surrounding area.
4. The owner/contractor shall co-operate with the Health Authorities whenever they visit the site for sanitary inspection.
5. This office is not responsible for any court litigation as regards to the ownership and that of the construction.
6. It is mandatory that all labours engaged on the construction site should have valid Health cards if not **under 75AA Official Gazette Series I No. 26 is liable for a fine of Rs. 10,000/- per labour**
7. Health Cards should be available at the site and be produced to the Health Staff on demand and builder/contractor/owner shall take necessary anti - larval measures at the construction sites.
8. A Board should be displayed at the construction site with name of the site and name of the builder/Contractor along with Mobile No. and also license No.
9. Proper sanitation facilities and portable drinking water should be provided to all labours living or working on construction site.
10. The NOC from this office shall be obtained before occupying the premises.

The NOC issued is liable to be withdrawn if the conditions stipulated above are not complied with.

To,
The Sarpanch,
Village Panchayat Nuvem
Salcette Goa.

Copy to:-

- 1 Mr. Vijay V. Kulkarni, Aquem, Alto, Salcette, Goa.
2. Office Copy,
3. G.F

(Medical Officer)
Medical Officer I/C
Primary Health Centre
Loutolim-Goa